

AIRLESS NOZZLE SYSTEM

TradeTip 2



PARA MAIS INFORMAÇÕES:

MAQUISPRAY

Rua Principal nº 9, Apartado 78
A-do-Barbas
2405-909 Maceira LRA
Portugal
Tel 244.775.171 / 2 | Fax 244.778.464
info@maquispray.pt
www.maquispray.pt

WAGNER

PERFECT SPRAY PATTERN

LONG LIFE


SPECIAL NOZZLES

TradeTip 2 - Airless Nozzle System


The latest nozzle technology for first class surfaces!

Perfect Spray Pattern with optimal atomisation

The TradeTip 2 nozzle system sets new standards in paint application. Ease of use, precision technology and long-life quality of the nozzle core ensure the highest quality surface finish. It offers a broad spectrum of uses for the application of paints, primers, emulsions, flame proofing and corrosion protection, right up to airless spraying plasters.



TradeTip 2



Competition

The spray jet of the TradeTip 2 nozzles stands for a **20% better distribution** than the competition.

Long Life

thanks to matured technology

Large handle surface for ease of use even when wearing gloves.

Clear indication of the spraying direction or cleaning position by the arrow symbol.

Clearly legible nozzle size.



High quality surface for **low friction and wear-free rotation** of the nozzle.

Tapered lead chamfer for a **quick, precise nozzle change**.

PARA MAIS INFORMAÇÕES:
MAQUISPRAY
MAQUISPRAY
Rua Principal nº 9, Apartado 78
A-do-Barbas
2405-909 Maceira LRA
Portugal
Tel 244.775.171 / 2 | Fax 244.778.464
info@maquispray.pt
www.maquispray.pt





Easy changing and **insertion** of the double seal thanks to the integral tool.
Practical.




Height limit and stop angle for a **precise nozzle position.**

Easily cleaned connection area.

Tungsten carbide for long life


The nozzle core is made of tungsten carbide, a high grade hard metal alloy, and is thus extremely durable. For the TradeTip 2 nozzles, this means: a wear resistant nozzle bore with a long lasting constant spray angle.

Our nozzles are manufactured with the greatest precision. A inhouse manufacturing process controlled from the raw material right up to the finished nozzle ensures the highest quality, and guarantees defined spraying widths and spraying angles.



PARA MAIS INFORMAÇÕES:
MAQUISPRAY
Rua Principal nº 9, Apartado 78
A-do-Barbas
2405-909 Maceira LRA
Portugal
Tel 244.775.171 / 2 | Fax 244.778.464
info@maquispray.pt
www.maquispray.pt

The spray pattern of the FineFinish nozzles: **Soft run-out at the edges** and first class painting quality.



The spray pattern of the LineFinish nozzles: **Sharp edges** giving precise line borders.

Application Tips

TradeTip 2

TradeTip 2 FineFinish

The special feature of airless painting lies in its ease of use.

The FineFinish painting nozzle offers **optimal atomisation even in the low pressure ranges** and is ideal for particularly high-grade finishes.



PARA MAIS INFORMAÇÕES:

MAQUISPRAY

Rua Principal nº 9, Apartado 78
A-do-Barbas
2405-909 Maceira LRA
Portugal
Tel 244.775.171 /2 | Fax 244.778.464
info@maquispray.pt
www.maquispray.pt

TradeTip 2 LineFinish

The special model for high quality lining and marking work. It excels thanks to its large selection of nozzle sizes with different spray jet widths. **Ideal for clean lines.**



Large area **Spraying** of penetrating stopper and wallpaper strippers with the **629er-nozzle** - best at a working pressure between 10 and 25 bar and a 15 cm nozzle extension.

Easy **Edge cutt-off** with the **111er-nozzle** by use of a yellow gun filter and a 15 cm nozzle extension.



Quickly and easily cleaned thanks to its excellent construction: simply rotate the nozzle and flush out - completely without tools.

The compact **Guard** ensures a **fast nozzle change**. It is easy to fit onto the gun, can be set horizontally or vertically for optimal adjustment of the jet level, and its **lightweight construction** provides optimal working comfort.

PARA MAIS INFORMAÇÕES:

MAQUISPRAY

Rua Principal nº 9, Apartado 78
A-do-Barbas
2405-909 Maceira LRA
Portugal
Tel 244.775.171 / 2 | Fax 244.778.464
info@maquispray.pt
www.maquispray.pt



Easy to fit

- the aluminium Guard can be screwed onto the gun by hand.

Short, compact and unbreakable

- the anti-contact guard for high working safety.

Double seal

in one piece due to a click joint. This means it will **not get lost**. It can be used for water diluted and solvent based materials.



Nozzle System

TradeTip 2

The nozzles are available in various sizes with different spraying angles (see table below).

Size	10°	20°	30°	40°	50°	60°	70°	80°	90°
7	107	207	307	407					
9	109	209	309	409	509	609			
11	111	211	311	411	511	611			
13	113	213	313	413	513	613		813	
15	115	215	315	415	515	615	715	815	
17	117	217	317	417	517	617	717	817	
19		219	319	419	519	619	719	819	919
21		221	321	421	521	621	721	821	921
23		223	323	423	523	623	723	823	
25		225	325	425	525	625	725	825	
27		227		427	527	627		827	
31		231	331	431	531	631	731	831	
33				433	533	633			
39					539				
43		243		443	543				
52		252			552				
61		261		461					
63		263		463					
67		267		467					

The nozzle marking gives the spraying angle and the bore diameter e.g. nozzle 419 has a spraying angle of 40° and a bore diameter of 0.019 inches.

Order Ref. No.:
0552 + nozzle size (e.g. 0552 419)



TradeTip 2 - FineFinish

The nozzles are available in various sizes with different spraying angles. The nozzle marking gives the spraying angle and the bore diameter (see TradeTip2 table).

Size	20°	30°	40°	50°	60°
8	208	308	408		
10	210	310	410	510	
12	212	312	412	512	612
14	214	314	414	514	614

Order Ref. No.:
0556 + nozzle size (e.g. 0556 312)

TradeTip 2 - LineFinish

SIZE	NOZZLE MARKING	BORE INCHES (MM)	LINE WIDTH	Order Ref. No.
15	1504	0,015 (0,38)	up to 70 mm	056 1504
	1508	0,015 (0,38)	up to 140 mm	056 1508
17	1704	0,017 (0,43)	up to 70 mm	056 1704
	1708	0,017 (0,43)	up to 140 mm	056 1708
19	1712	0,017 (0,43)	up to 210 mm	056 1712
	1904	0,019 (0,48)	up to 70 mm	056 1904
	1908	0,019 (0,48)	up to 140 mm	056 1908
21	1912	0,019 (0,48)	up to 210 mm	056 1912
	2108	0,021 (0,53)	up to 140 mm	056 2108
23	2112	0,021 (0,53)	up to 210 mm	056 2112
	2308	0,023 (0,58)	up to 140 mm	056 2308
	2328	0,023 (0,58)	up to 300 mm	056 2328

TradeTip 2 - Holders

0556 042 Holder F-thread
0556 041 Holder G-thread
0556 040 Holder M18 x 1,5

Bild Tip-Halter fehlt!

Accessories



Nozzle extensions ①

- 0999 320 Nozzle extensions complete 15 cm
- 0999 321 Nozzle extensions complete 30 cm
- 0999 322 Nozzle extensions complete 45 cm
- 0999 323 Nozzle extensions complete 60 cm
- 0097 020 Swivel elbow joint ②



Nozzle extensions with elbow joint ③

- 0096 015 Nozzle extension 100 cm with swivel elbow joint
- 0096 016 Nozzle extension 200 cm with swivel elbow joint
- 0096 017 Nozzle extension 300 cm with swivel elbow joint



Seal

- 0556 037 Douple seal set

Gun filter (10 off)

- 0097 022 Filter insert, extra fine, 180 M/0.084 mm mesh size, red
- 0097 023 Filter insert, fine, 100 M/0.140 mm mesh size, yellow
- 0097 024 Filter insert, medium, 50 M/0.315 mm mesh size, white
- 0097 025 Filter insert, coarse 30 M/0.560 mm mesh size, green

PARA MAIS INFORMAÇÕES:
MAQUISPRAY

Rua Principal nº 9, Apartado 78
A-do-Barbas
2405-909 Maceira LRA
Portugal
Tel 244.775.171 / 2 | Fax 244.778.464
info@maquispray.pt
www.maquispray.pt



Ask about other products from our company: Low pressure spraying equipment, hydraulic, piston and diaphragm pumps, plaster spraying equipment... and much more.